



CABINET HINGES

www.eurofitsystems.com

FURNITURE FITTINGS & COMPONENTS

ABOUT US

OUR MISSION

To be the UK's most trusted partner for quality furniture components.

WHO WE ARE


Since 2000, Eurofit Systems has helped UK furniture manufacturers build with confidence.

From our base in Beverley, East Yorkshire, we supply quality fittings and components to medium and large OEMs and distributors nationwide, backed by the expert support and dependable supply chain that we believe long-term partnerships are built on.

As direct importers, we control our supply chain from source to shelf, giving our customers sharper pricing, consistent quality and the stock availability their production schedules demand.

Our range covers the full breadth of furniture hardware, from hinges, runners and handles to fixings, fasteners and connectors.

Everything needed to build, assemble and finish, all from one trusted partner.



60,000 sq ft

WAREHOUSE

BEVERLEY, EAST YORKSHIRE

3,000+

SKUS

IN STOCK AND READY TO SHIP

4,500

PALLET LOCATIONS

CAPACITY TO SCALE WITH DEMAND

CONCEALED CABINET HINGE RANGES

IntAfit

For the past 25 years, Eurofit Systems has partnered with leading Asian manufacturers to develop the products that make up our IntAfit range. The IntAfit Series HF43 and HF64 hinges are a direct result of this long-standing collaboration — quality products delivered at competitive prices. Series HF43 is a concealed slide-on hinge with a 35mm cup and a 105° opening angle, available in both self-close and soft-close options. It suits a wide variety of cabinet applications, accommodating door thicknesses from 14 to 22mm. The soft-close mechanism delivers a smooth, quiet operation. Series HF64 is the clip-on equivalent, offered with opening angles from 105° to 155° in both self-close and soft-close options. Like the HF43, it covers door thicknesses from 14 to 22mm and offers a hinge solution for multiple standard cabinet applications. Eurofit Systems hold the HF43 and HF64 ranges in stock. Drilling and insertion machines are also available on request.

TUTTI

EuroFit Systems is proud to be a UK stockist for TUTTI Hardware Co., Ltd., a furniture hardware manufacturer based in Leliu, Foshan — a region widely known as China's "hardware hometown" for its concentration of specialist manufacturers. TUTTI's manufacturing focus is on sliding door systems, concealed hinges and slides, wardrobe fittings, and kitchen storage systems. TUTTI collaborates with furniture brands to develop innovative products that strengthen market positioning and reduce production costs. Hinges are TUTTI's flagship product line, recognised for high-quality material selection, strong R&D capability, professional craftsmanship and rigorous testing. The business is accredited under ISO9001, ISO14001, and is BSCI compliant. TUTTI's hydraulic soft-close hinges deliver optimal longer-lasting performance for everyday use.

Eurofit Systems stock TUTTI hinge ranges to cover the most common cabinet applications, with the wider suite available to order. Standard 105° and 165° opening angles, clip-on in soft-close and self-close variants, with options for full overlay, half overlay and inset applications. Slide-on self-closing mini and glass hinges, including mini soft and self-closing clip-on variants. Surface-mount and face-frame cabinet applications, special angle and 95° Heavy Duty hinges for profile thick doors.



Cabinet Hinge Index

Series HF43

Series HF43 Slide On Soft Close 105° Opening Hinge	1.HF43.01
--	-----------

Series HF53

Series HF53 Slide On Soft Close 105° Opening Hinge	1.HF53.01
--	-----------

Series HF61

Series HF61 Clip On Soft & Self Close 105° Opening Hinge	1.HF61.01
Series HF61 Clip On Soft & Self Close 165° Opening Hinge	1.HF61.02
Series HF61 Clip On Soft & Self Close Special Angle Hinge	1.HF61.03
Series HF61 Clip On Soft Close Thick Door 95° Opening Hinge	1.HF61.04

Series HF62

Series HF62 Slide On 95° Opening Mini Hinge	1.HF62.01
---	-----------

Series HF63

Series HF63 Clip On Self Close 110° Opening Hinge	1.HF63.01
Series HF63 Clip On Self Close 165° Opening Hinge	1.HF63.02
Series HF63 Clip On Self Close Special Angle Hinge	1.HF63.03

Series HF64

Series HF64 Clip On Soft & Self Close 105° Opening Hinge	1.HF64.01
Series HF64 Clip On Soft & Self Close 155° Opening Hinge	1.HF64.02
Series HF64 Clip On Soft Close Special Angle Hinge	1.HF64.03

Series HF65

Series HF65 Clip On Soft & Self Close 95° Opening Mini Hinge	1.HF65.01
--	-----------

Series HF66



Series HF66 Surface Mount Hinges	1.HF66.01
--	-----------

Series HF53 - 105° Opening

SLIDE ON SOFT & SELF CLOSE HINGES

Available Finish


Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm


TUTTI Series HF53 is a Slide On hinge featuring a metal hydraulic damper delivering quiet and smooth Soft Closing for any cabinet door application.

Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Standard mounting plates for wood screw fixing are stocked in the UK, Vertical Cam Adjustment for wood screws or pre-mounted euro screws available upon request. Within the same range a Self-Close hinge option is also offered using the same mounting plates. Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.


* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 105°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm
- ✓ Range for door thickness: 14~22mm
- ✓ Two dimensional adjustment
- ✓ One way spring
- ✓ Nickel plated
- ✓ Un-Sprung version available



Full Overlay




D \ K	3	4	5	6	7
0	16	17	18	19	20
2	14	15	16	17	18
4	12	13	14	15	16

$$H=13+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Half Overlay




D \ K	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Inset Overlay



A \ K	3	4	5	6	7
0	1	0	-1	-2	-3
2	3	2	1	0	-1
4	5	4	3	2	1

$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height


Function	Cup Fixing	Code
Soft Close	Wood Screws	HF535105FOSCPNP3
Self Close	Wood Screws	HF535105FOSPNP3
Un-Sprung	Wood Screws	HF535105FOUSNP3

Function	Cup Fixing	Code
Soft Close	Wood Screws	HF535105HOSCPNP3
Self Close	Wood Screws	HF535105HOSPNP3
Un-Sprung	Wood Screws	HF535105HOUSNP3

Function	Cup Fixing	Code
Soft Close	Wood Screws	HF535105IOSCPNP3
Self Close	Wood Screws	HF535105IOSPNP3
Un-Sprung	Wood Screws	HF535105IOUSNP3

MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF50PLWSNP3	250				

TECHNICAL DATA

- Tested to European standards

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION


- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF53

Series HF61 - 105° Opening

CLIP ON SOFT & SELF CLOSING HINGES

Available Finish


Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm

TUTTI Series HF61 is their most popular Clip On range featuring a metal hydraulic damper delivering quiet and smooth Soft Closing with 3-dimensional adjustment for any cabinet door application.


Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws. Within the same range a Self-Close hinge option is also offered using the same mounting plates. Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.

* Product appearance may differ from images shown


KEY FEATURES

- ✓ Opening degree: 105°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm

- ✓ Range for door thickness: 14~22mm
- ✓ 3 - dimensional adjustment
- ✓ One way spring
- ✓ Nickel plated



Full Overlay




D \ K	3	4	5	6	7
0	18	19	20	21	22
2	16	17	18	19	20
4	14	15	16	17	18

$$H=15+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Half Overlay




D \ K	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Inset Overlay



A \ K	3	4	5	6	7
0	0	-1	-2	-3	-4
2	2	1	0	-1	-2
4	4	3	2	1	0

$$H=A+K-3$$

K = Drilling from edge / A = Reveal / H = Plate height


Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61001	100
Self Close	Wood Screws	HF61041	100
Soft Close	10mm Dowels	HF61001D10	100
Self Close	10mm Dowels	HF61041D10	100

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61002	100
Self Close	Wood Screws	HF61042	100

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61003	100
Self Close	Wood Screws	HF61043	100
Soft Close	10mm Dowels	HF61003D10	100
Self Close	10mm Dowels	HF61043D10	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61502	250	HF61522	250	HF61542	250
Euro Screws Pre-mounted	HF61500	250	HF61520	250		

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61503	250	HF61523	250		
Euro Screws Pre-mounted	HF61501	250	HF61521	250	HF61540	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non-soft close hinges use the same mounting plate

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF61

Series HF61 - 165° Opening

CLIP ON SOFT & SELF CLOSING WIDE ANGLE HINGES

Available Finish



Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm

TUTTI Series HF61 is their most popular Clip On range featuring a metal hydraulic damper delivering quiet and smooth Soft Closing with 3-dimensional adjustment for any cabinet door application.


Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws. Within the same range a Self-Close hinge option is also offered using the same mounting plates. Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.

* Product appearance may differ from images shown


KEY FEATURES

- ✓ Opening degree: 165°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm

- ✓ Range for door thickness: 14~26mm
- ✓ 3 - dimensional adjustment
- ✓ Nickel plated



Full Overlay




D \ K	3	4	5	6	7
0	18	19	20	21	22
2	16	17	18	19	20
4	14	15	16	17	18

$$H=15+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61021	100
Self Close	Wood Screws	HF61044	100

Half Overlay




D \ K	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61022	100
Self Close	Wood Screws	HF61045	100

Inset Overlay



A \ K	3	4	5	6	7
0	0	-1	-2	-3	-4
2	2	1	0	-1	-2
4	4	3	2	1	0


$$H=A+K-3$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61023	100
Self Close	Wood Screws	HF61046	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61502	250	HF61522	250	HF61542	250
Euro Screws Pre-mounted	HF61500	250	HF61520	250		

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61503	250	HF61523	250		
Euro Screws Pre-mounted	HF61501	250	HF61521	250	HF61540	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non-soft close hinges use the same mounting plate

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF61



Series HF61 - Special Angle

SPECIAL ANGLE SOFT CLOSE CLIP ON HINGES


Available Finish




Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm


TUTTI Series HF61 is their most popular Clip On range featuring a metal hydraulic damper delivering quiet and smooth Soft Closing with 3-dimensional adjustment for any cabinet door application.

Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, **Corner door** and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws. Within the same range a Self-Close hinge option is also offered using the same mounting plates. Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.


* Product appearance may differ from images shown

KEY FEATURES

- ✓ Integrated soft close
- ✓ Clip on hinge to plate
- ✓ Opening angle 105°
- ✓ Thickness of hinge cup 11.3mm
- ✓ Diameter of hinge cup Ø35mm
- ✓ Cup fixing 48mm * 6mm offset
- ✓ Door thickness 14 - 22mm
- ✓ One way spring



30 Degree Angle




H \ K	4	5	6	7
0	37 2.5	36 3.4	35 4.3	34 5.2
2	37 0.5	36 1.4	35 2.3	34 3.2
4	37 -1.5	36 -0.6	35 0.3	34 1.2
X	D			

H=0, D=2.5

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61010	100

45 Degree Angle




H \ K	4	5	6	7
0	37 4.5	36 5.4	35 6.3	34 7.2
2	37 2.5	36 3.4	35 4.3	34 5.2
4	37 0.5	36 1.6	35 2.3	34 3.2
X	D			

H=0, D=4.5mm

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61011	100

Blind Corner




H \ K	4	5
0	20	19
2	20	19
4	20	19
X	D	

H=0, D=2.8mm

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61012	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screw	HF61502	250	HF61522	250	HF61542	250
Euro Screws Pre-mounted	HF61500	250	HF61520	250		

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61503	250	HF61523	250		
Euro Screws Pre-mounted	HF61501	250	HF61521	250	HF61540	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non-soft close hinges use the same mounting plate

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only




Further Information

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF61

Series HF61 - 95° Opening

CLIP ON SOFT CLOSE LARGE DOOR HINGES

Available Finish




TUTTI Series HF61 is their most popular Clip On range featuring a metal hydraulic damper delivering quiet and smooth Soft Closing with 3-dimensional adjustment for any cabinet door application.

Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and **Thick door** applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws. Within the same range a Self-Close hinge option is also offered using the same mounting plates. Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.

* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 95°
- ✓ Diameter of hinge cup: 40mm
- ✓ Depth of hinge cup: 12.5mm
- ✓ Cup hole distance: 52mm Offset 5.5mm
- ✓ Range for door thickness: 15 - 30mm
- ✓ Two way opening
- ✓ Nickel plated



Full Overlay




D \ K	3	4	5	6	7
0	22	23	24	25	26
2	16	17	18	19	20
4	14	15	16	17	18

$$H=15+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61031	100

Half Overlay




D \ K	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61032	100

Inset Overlay



A \ K	3	4	5	6	7
0	0	-1	-2	-3	-4
2	2	1	0	-1	-2
4	4	3	2	1	0


$$H=A+K-3$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF61033	100


MOUNTING PLATES

Standard



Screw Fixing	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61502	250	HF61522	250	HF61542	250
Euro Screws Pre-mounted	HF61500	250	HF61520	250		

Cam Adjustable



Screw Fixing	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF61503	250	HF61523	250		
Euro Screws Pre-mounted	HF61501	250	HF61521	250	HF61540	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non-soft close hinges use the same mounting plate

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF61

Series HF62 - 95° Opening

SLIDE ON SELF CLOSE MINI & GLASS DOOR HINGES

Available Finishes



Nickel • Chrome • Silver • Gold



+ 2mm / - 2mm



+ 2mm / - 2mm



+ 2mm / - 2mm


TUTTI Series HF62 are mini hinges, available in slide on only and self close variant. The range covers Full, Half and Inset overlay configurations along with 2 Glass Door applications.

Eurofit Systems Ltd stock a comprehensive range with a 26mm cup diameter and 32/7.5mm hole pattern, the HF62 is the perfect hinge for small and thin door applications such as bathroom cupboards, Motorhomes and display cabinets. Hinge arm and cup cover caps available, personalised cover options available (subject to minimum order quantities).

* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 95°
- ✓ Diameter of hinge cup: 26mm
- ✓ Depth of hinge cup: 9.5mm
- ✓ Cup hole distance: 32mm Offset 7.5mm
- ✓ Range for door thickness: 12~18mm
- ✓ Three dimensional adjustment
- ✓ Two way spring
- ✓ Nickel plated



Full Overlay




D	K	3	4	5	6
H					
0		13	14	15	16
2		11	12	13	14
4		9	10	11	12

$$H=10+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF62001	100
Self Close	10mm Dowels	HF62001D10	100

Half Overlay




D	K	3	4	5	6
H					
0		4	5	6	7
2		2	3	4	5
4		0	1	2	3

$$H=1+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF62002	100
Self Close	Glass Door	HF62042	100

Inset Overlay



A	K	3	4	5	6
H					
0		2	1	0	-1
2		4	3	2	1
4		6	5	4	3


$$H=A+K-5$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF62003	100
Self Close	Glass Door	HF62043	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height			
	Code: 0mm	Box	Code: 2mm	Box
Wood Screws			HF62522	250
Euro Screws	HF62500	250	HF62520	250
Euro Screws			HF62521	250

Glass Door Covers



Colour	Glass Door Covers	
	Code: Code	Box
Gold	HF60023	500
Chrome	HF60024	500
Silver	HF60025	500

TECHNICAL DATA

- Tested to European standards

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION


- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF62

Series HF63 - 110° Opening

CLIP ON SELF CLOSE HINGES

Available Finish


Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm

TUTTI Series HF63 is their original Clip On range with Self Closing and 3-dimensional Adjustment for any cabinet door application.

Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws.


Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.

* Product appearance may differ from images shown


KEY FEATURES

- ✓ Opening degree: 110°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm

- ✓ Range for door thickness: 14~22mm
- ✓ Three dimensional adjustment
- ✓ Two way spring
- ✓ Nickel plated



Full Overlay




D	K	3	4	5	6	7
H						
0		16	17	18	19	20
2		14	15	16	17	18
4		12	13	14	15	16

$$H=13+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF63001	100
Un-Sprung	Wood Screws	HF63004	100

Half Overlay




D	K	3	4	5	6	7
H						
0		8	9	10	11	12
2		6	7	8	9	10
4		4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF63002	100

Inset Overlay



A	K	3	4	5	6	7
H						
0		1	0	-1	-2	-3
2		3	2	1	0	-1
4		5	4	3	2	1


$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF63003	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF63502	250	HF63522	250		
Euro Screws Pre-mounted	HF63500	250	HF63520	250	HF63540	250

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Euro Screws Pre-mounted	HF63501	250	HF63521	250	HF63541	250

TECHNICAL DATA

- Tested to European standards

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION


- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF63

Series HF63 - 165° Opening

CLIP ON SELF CLOSE HINGES

Available Finish


Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm

TUTTI Series HF63 is their original Clip On range with Self Closing and 3-dimensional adjustment for any cabinet door application.

Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws.


Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.

* Product appearance may differ from images shown


KEY FEATURES

- ✓ Opening degree: 165°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.5mm
- ✓ Cup hole distance: 48mm Offset 6mm

- ✓ Range for door thickness: 14~22mm
- ✓ Three dimensional adjustment
- ✓ Two way spring
- ✓ Nickel plated



Full Overlay




D \ K	3	4	5	6	7
0	16	17	18	19	20
2	14	15	16	17	18
4	12	13	14	15	16

$$H=13+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF63021	100

Half Overlay




D \ K	3	4	5	6	7
0	7	8	9	10	11
2	5	6	7	8	9
4	3	4	5	6	7

$$H=4+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF63022	100

Inset Overlay



A \ K	3	4	5	6	7
0	1	0	-1	-2	-3
2	3	2	1	0	-1
4	5	4	3	2	1


$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Self Close	Wood Screws	HF63023	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF63502	250	HF63522	250		
Euro Screws Pre-mounted	HF63500	250	HF63520	250	HF63540	250

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Euro Screws Pre-mounted	HF63501	250	HF63521	250	HF63541	250

TECHNICAL DATA

- Tested to European standards

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF63



Series HF63 - Special Angle

SPECIAL ANGLE SELF CLOSE CLIP ON HINGES


Available Finish



Nickel



+ 2mm / - 4mm



+ 2mm / - 2mm



+ 2mm / - 2mm

TUTTI Series HF63 is their original Clip On range with Self Closing and 3-dimensional adjustment for any cabinet door application.


Eurofit Systems Ltd stock a comprehensive range that covers 95° - 165° opening angles, Corner door and Thick door applications based on the European 35mm cup 48/6mm hole pattern, with various fixing methods. Mounting plates are available with or without Vertical Cam Adjustment for wood screws or pre-mounted euro screws.

Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.


** Product appearance may differ from images shown*

KEY FEATURES

- ✓ Self close hinge
- ✓ Clip on hinge to plate
- ✓ Opening angle 105°
- ✓ Thickness of hinge cup 11.3mm
- ✓ Diameter of hinge cup Ø35mm
- ✓ Cup fixing 48mm * 6mm offset
- ✓ Door thickness 14 - 22mm
- ✓ Two way spring



30 Degree Angle




H \ K	4	5	6	7
0	37 2.5	36 3.4	35 4.3	34 5.2
2	37 0.5	36 1.4	35 2.3	34 3.2
4	37 -1.5	36 -0.6	35 0.3	34 1.2
X	D			

H=2, D=2.5

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF63010	100

45 Degree Angle




H \ K	4	5	6	7
0	37 4.5	36 5.4	35 6.3	34 7.2
2	37 2.5	36 3.4	35 4.3	34 5.2
4	37 0.5	36 1.6	35 2.3	34 3.2
X	D			

H=2, D=4.5mm

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF63011	100

Blind Corner




H \ K	4	5
0	202.8	192.8
2	200.8	190.8
4	20-1.2	19-1.2
X	D	

H=2, D=2.8mm

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF63012	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screw	HF63502	250	HF63522	250		
Euro Screws Pre-mounted	HF63500	250	HF63520	250	HF63540	250

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Euro Screws Pre-mounted	HF63501	250	HF63521	250	HF63541	250

TECHNICAL DATA

- Tested to European standards

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

Further Information

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF63

Series HF65 - 95° Opening

CLIP ON SOFT & SELF CLOSE MINI HINGES

Available Finish

Nickel



TUTTI Series HF65 is quite a unique Clip On hinge offering Soft, Self Close and Un-Sprung with only a 26mm diameter cup housing ideal for small doors found in Bathrooms, Display Cabinets, Motorhomes and Campervans.


Eurofit Systems Ltd stock a comprehensive range that covers 95° opening angles, Full, Half & Inset door applications based on a 26mm cup 32/7mm hole pattern, with various fixing methods.

Personalised accessories such as Arm and Cup covers available upon request as well as many more hinge variations.

* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 95°
- ✓ Diameter of hinge cup: 26mm
- ✓ Depth of hinge cup: 10mm
- ✓ Cup hole distance: 32mm Offset 7.5mm
- ✓ Range for door thickness: 12~18mm
- ✓ Three dimensional adjustment
- ✓ Two way spring
- ✓ Nickel plated



Full Overlay




D	K	3	4	5	6
H					
0		15	16	17	18
2		13	14	15	16
4		11	12	13	14

$$H=12+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF65000	100
Self Close	Wood Screws	HF65003	100

Half Overlay




D	K	3	4	5	6
H					
0		7	8	9	10
2		5	6	7	8
4		3	4	5	6

$$H=4+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF65001	100
Self Close	Wood Screws	HF65004	100

Inset Overlay



A	K	3	4	5	6
H					
0		0	-1	-2	-3
2		2	1	0	-1
4		4	3	2	1


$$H=A+K-3$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF65002	100
Self Close	Wood Screws	HF65005	100
Un-Sprung	Wood Screws	HF65003US	100

MOUNTING PLATES

Standard



Fixing Method	Plate Height	
	Code: 0mm	Box
Euro Screws	HF65503	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non soft close hinges use the same mounting plate

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only



FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF65

Series HF66 - Face Frame Hinges

SURFACE MOUNT CABINET HINGES

Available Finish
Nickel



TUTTI Series HF66 is a popular hinge for framed cabinet construction where a side panel is not available to fix a mounting plate to.

The surface mount face frame hinge has a 35mm diameter cup, an opening angle of 105° and works with doors ranging from 14 - 22mm thick.


Tutti offers a fully comprehensive cabinet hinge range to suit every application.

Pre-mounted dowels are offered for machine insertion, and drilling/insertion machines can be supplied to streamline your workflow.

** Product appearance may differ from images shown*

KEY FEATURES

- ✓ Opening degree: 105°
- ✓ Cup diameter 35mm
- ✓ Cup depth 10.8mm
- ✓ Cup hole centres 45mm
- ✓ Drilling from edge of door 3mm
- ✓ Door thickness range 14 - 22mm



Surface Mount Face Frame Hinge

13mm Overlay

Function	Code	Box
Self Close	HF66001	

Surface Mount Face Frame Hinge

16mm overlay

Function	Code	Box
Self Close	HF66002	250

Surface Mount Face Frame Hinge

25mm Overlay

Function	Code	Box
Self Close	HF66003	250

Surface Mount Face Frame Hinge

35mm Overlay

Function	Code	Box
Self Close	HF66004	250

Two Way Slide On Face Frame Hinge

16mm Overlay

Function	Code	Box
Self Close	HF66007	250

Soft Close Short Arm Face Frame Hinge

12mm Overlay

Function	Code	Box
Soft Close	HF66005	250

Soft Close Short Arm Face Frame Hinge

16mm Overlay

Function	Code	Box
Soft Close	HF66006	250

TECHNICAL DATA

- Tested to European standards

ORDERING GUIDE

- TUTTI hinges can only be used with TUTTI mounting plates
- Sold in full box quantities only

FURTHER INFORMATION


- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available

Series HF43 - 105° Opening

SOFT CLOSE SLIDE ON HINGE

Available Finish

Nickel



+ 2mm / - 4mm



+ 2.5mm / - 1.5mm



+ 2mm / - 2mm

IntAfit hinges available in slide on and clip on versions with soft and self close variants, the HF43 covers all overlay requirements.


Eurofit Systems stock IntAfit hinges with the 48/6mm hole pattern, ideal for European hinge boring systems.

Adjustable mounting plates as well as many more hinge configurations and personalised accessories such as Arm and Cup covers are available upon request subject to MOQs.


* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 105°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm
- ✓ Range for door thickness: 14-22mm
- ✓ Three dimensional adjustment
- ✓ Two way opening function
- ✓ Nickel plated
- ✓ NSS level 72HR



Full Overlay




D \ K	3	4	5	6	7
0	17	18	19	20	21
2	15	16	17	18	19
4	13	14	15	16	17

$$H=14+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code
Soft Close	Wood Screws	HF435105FOSCPNP3

Half Overlay




D \ K	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code
Soft Close	Wood Screws	HF435105HOSCPNP3

Inset Overlay



A \ K	3	4	5	6	7
0	1	0	-1	-2	-3
2	3	2	1	0	-1
4	5	4	3	2	1


$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code
Soft Close	Wood Screws	HF435105IOSCPNP3

MOUNTING PLATES

Standard



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Wood Screws	HF55010	250	HF55012	250	HF55014	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non soft close hinges use the same mounting plate

ORDERING GUIDE

- IntAfit hinges can only be used with IntAfit mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION



- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF43

Series HF64 - 105° Opening

SOFT CLOSE CLIP ON HINGE

Available Finish


Nickel



+ 2mm / - 4mm



+ 2.5mm / - 1.5mm



+ 2mm / - 2mm

IntAfit hinges are available in Slide on and Clip on versions with Soft and Self close variants.


Eurofit Systems Ltd stock a comprehensive range from 105° - 155° opening angles, Full, Half and Inset to suit multiple cabinet applications including Corner cabinets. With a 35mm cup diameter and 48/6mm hole pattern, the HF64 is a true drop-in replacement for standard European hinge boring systems.

Hinge arm and cup cover caps available, with personalised options available (subject to minimum order quantities). Pre-mounted dowels are available for machine insertion, and drilling/insertion machines can be supplied to streamline your workflow.


* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 105°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm
- ✓ Range for door thickness: 14~26mm
- ✓ Three dimensional adjustment
- ✓ Two way opening function
- ✓ Nickel plated
- ✓ NSS level 72HR



Full Overlay




D \ K \ H	3	4	5	6	7
0	17	18	19	20	21
2	15	16	17	18	19
4	13	14	15	16	17

$$H=14+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64021SC	100
Self Close	Wood Screws	HF64021	100
Soft Close	10mm Dowels	HF64021SCD10	100
Self Close	10mm Dowels	HF64021D10	100

Half Overlay




D \ K \ H	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64022SC	100
Self Close	Wood Screws	HF64022	100

Inset Overlay



D \ K \ H	3	4	5	6	7
0	1	0	-1	-2	-3
2	3	2	1	0	-1
4	5	4	3	2	1


$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64023SC	100
Self Close	Wood Screws	HF64023	100
Soft Close	10mm Dowels	HF64023SCD10	100
Self Close	10mm Dowels	HF64023D10	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height			
	Code: 0mm	Box	Code: 2mm	Box
Wood Screws	HF64500WS	250	HF64502WS	250
Euro Screws	HF64500ES	250		
Bridge Dowel	HF64500BD	250	HF64502BD	250

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Euro Screws	HF64510ES	250	HF64512ES	250	HF64514ES	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non soft close hinges use the same mounting plate

ORDERING GUIDE

- IntAfit hinges can only be used with IntAfit mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF64

Series HF64 - 155° Opening

SOFT CLOSE CLIP ON HINGE

Available Finish



Nickel



+ 2mm / - 4mm



+ 2.5mm / - 1.5mm



+ 2mm / - 2mm

IntAfit hinges are available in Slide on and Clip on versions with Soft and Self close variants.


Eurofit Systems Ltd stock a comprehensive range from 105° - 155° opening angles, Full, Half and Inset to suit multiple cabinet applications including Corner cabinets. With a 35mm cup diameter and 48/6mm hole pattern, the HF64 is a true drop-in replacement for standard European hinge boring systems.

Hinge arm and cup cover caps available, with personalised options available (subject to minimum order quantities). Pre-mounted dowels are available for machine insertion, and drilling/insertion machines can be supplied to streamline your workflow.


* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 155°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.7mm
- ✓ Cup hole distance: 48mm Offset 6mm
- ✓ Range for door thickness: 14 - 22mm
- ✓ Zero protrusion
- ✓ Three dimensional adjustment
- ✓ Two way opening function
- ✓ Nickel plated
- ✓ NSS level 72HR



Full Overlay




D \ K	3	4	5	6	7
0	17	18	19	20	21
2	16	17	18	19	20
4	14	15	16	17	18

$$H=14+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64004SC	100
Self Close	Wood Screws	HF64004	100

Half Overlay




D \ K	3	4	5	6	7
0	8	9	10	11	12
2	6	7	8	9	10
4	4	5	6	7	8

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64005SC	100
Self Close	Wood Screws	HF64005	100

Inset Overlay



A \ K	3	4	5	6	7
0	1	0	-1	-2	-3
2	3	2	1	0	-1
4	5	4	3	2	1


$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64006SC	100
Self Close	Wood Screws	HF64006	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height			
	Code: 0mm	Box	Code: 2mm	Box
Wood Screws	HF64500WS	250	HF64502WS	250
Euro Screws	HF64500ES	250		
Bridge Dowel	HF64500BD	250	HF64502BD	250

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Euro Screws	HF64510ES	250	HF64512ES	250	HF64514ES	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non soft close hinges use the same mounting plate

ORDERING GUIDE

- IntAfit hinges can only be used with IntAfit mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION



- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF64

Series HF64 - Special Angle

SOFT CLOSE CLIP ON HINGE

Available Finish


Nickel



+ 2mm / - 4mm



+ 2.5mm / - 1.5mm



+ 2mm / - 2mm

IntAfit hinges are available in Slide on and Clip on versions with Soft and Self close variants.


Eurofit Systems Ltd stock a comprehensive range from 105° - 155° opening angles, Full, Half and Inset to suit multiple cabinet applications including Corner cabinets. With a 35mm cup diameter and 48/6mm hole pattern, the HF64 is a true drop-in replacement for standard European hinge boring systems.

Hinge arm and cup cover caps available, with personalised options available (subject to minimum order quantities). Pre-mounted dowels are available for machine insertion, and drilling/insertion machines can be supplied to streamline your workflow.


* Product appearance may differ from images shown

KEY FEATURES

- ✓ Opening degree: 105°
- ✓ Diameter of hinge cup: 35mm
- ✓ Depth of hinge cup: 11.3mm
- ✓ Cup hole distance: 48mm Offset 6mm
- ✓ Range for door thickness: 14~22mm
- ✓ Three dimensional adjustment
- ✓ Two way opening function
- ✓ Nickel plated
- ✓ NSS level 72HR



30 Degree Angle




H \ K	4	5	6	7
0	37 2.5	36 3.4	35 4.3	34 5.2
2	37 0.5	36 1.4	35 2.3	34 3.2
4	37 -1.5	36 1.6	35 0.3	34 1.2
X	D			

$$H=14+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64024SC	100

45 Degree Angle




H \ K	4	5	6	7
0	37 4.5	36 5.4	35 6.3	34 7.2
2	37 2.5	36 3.4	35 4.3	34 5.2
4	37 0.5	36 1.4	35 2.3	34 3.2
X	D			

$$H=5+K-D$$

K = Drilling from edge / D = Overlay / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HF64025SC	100

Blind Corner



H K	4	5
0	202.8	192.8
2	200.8	190.8
4	20-1.2	19-1.2
X	D	


$$H=A+K-4$$

K = Drilling from edge / A = Reveal / H = Plate height

Function	Cup Fixing	Code	Box
Soft Close	Wood Screws	HD64026SC	100


MOUNTING PLATES

Standard



Fixing Method	Plate Height			
	Code: 0mm	Box	Code: 2mm	Box
Wood Screws	HF64500WS	250	HF64502WS	250
Euro Screws	HF64500ES	250		
Bridge Dowel	HF64500BD	250	HF64502BD	250

Cam Adjustable



Fixing Method	Plate Height					
	Code: 0mm	Box	Code: 2mm	Box	Code: 4mm	Box
Euro Screws	HF64510ES	250	HF64512ES	250	HF64514ES	250

TECHNICAL DATA

- Tested to European standards
- Both soft close and non soft close hinges use the same mounting plate

ORDERING GUIDE

- IntAfit hinges can only be used with IntAfit mounting plates
- Using the overlay tables check the height of mounting plate required
- Sold in full box quantities only

FURTHER INFORMATION

- Full technical datasheet available on request
- Many more hinge and mounting plate fixing options available
- Wide opening and special angle hinges available in the same Series HF64



CONTACT US

**Eurofit Systems, Barmston Road
Beverley HU17 0LA**

www.eurofitsystems.com
sales@eurofitsystems.com
+44 1482 714488